



ONE STAIR S104S1

Line	Mark	No.	Tot	Description	Length Ft In	Piece Mark	Remarks	Weight	Order Item
1	S104S1	1		STAIR					
2		1	1	C 12x20.7	10	0 3/16	aS104		
3		1	1	C 12x20.7	10	0 3/16	bS104		
4		1	1	C 12x20.7	4	2 1/8	cS104		
5		1	1	C 12x20.7	4	2 1/8	dS104		
6		1	1	C 8x11.5	3	8	eS104		
7		1	1	C 4x5.4	3	8	fS104		
8		1	1	HSS 4x3x1/4	3	8	gS104	A500	
9		2	2	L 3x2x1/4	0	5 1/2	dS101		
10		2	2	L 2x2x1/4	1	8 3/4	hS104		
11		2	2	L 2x2x1/4	1	6 1/4	kS104		
12		16	16	L 1 1/2x1 1/4x1/8	0	10	eS101		
13		16	16	L 1 1/2x1 1/4x1/8	0	4 1/2	fS101		
14		4	4	L 1 1/2x1 1/4x1/8	0	3 1/2	gS101		
15		2	2	L 1x1x1/8	0	4 1/4	mS104		
16		1	1	FL 1/2x4	0	9 1/8	mS101		
17		1	1	FL 1/2x4	1	0	nS104		
18		1	1	FL 1/2x3	0	11 5/8	pS104		
19		1	1	FL 1/2x3	0	2 1/8	rS104		
20		1	1	FL 5/8x3	0	3 1/2	tS104		
21		1	1	PL 10 GA. x 4 1/2	3	9 3/4	vS104		
22		8	8	BENT PL 14 GA. TREAD	3	7 15/16	S100M3		
23		1	1	BENT PL 14 GA. TREAD	3	7 15/16	S100M4		
24		1	1	BENT PL 14 GA. TREAD	3	7 15/16	S100M5		
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									
49									
50									
51									

SHOP NOTES
 1. ALL STEEL A36 U.N.
 HOLES: 13/16" U.N.O.
 PAINT: 1 SHOP COAT

STAIR NO. 2 - AREA A

WORK THIS SHEET WITH SHEETS S105 AND S106

Rev.	Date	Description	By

IRWIN STEEL
 15740 Highway 114 ~ Justin, Texas 76247
 Phone (817) 636-2508 ~ Fax (817) 636-2506

REF: SE101-SE108

Date	Quan.	For	Date	Quan.	For
DATE		APPROVAL			
		SHOP			

Job Name:	STANDARD PAN STAIR IN STEEL FRAME
Location:	CITY, TEXAS
Customer:	CONTRACTOR
Architect:	ARCHITECT
DRAWN:	THX
CHECKED:	HAL
JOB NO.:	1138
CAD NO.:	
SHEET NO.:	S104